Author Index

Aebersold, R., see Pasion, S.G., 57
Alexander, S.J., see Geary, T.G., 295
Alonso, R.A. and Peattie, D.A., Nucleotide sequence of a second alpha giardin gene and molecular analysis of the alpha giardin genes and transcripts in *Giardia lamblia*, 95
Alpers, M.P., see Ya-Ping, S., 179
Anders, R.F., see Marshall, V.M., 181
Åslund, L., see Campetella, O., 225

Barr, P.J., see Gibson, H.L., 325
Bastien, P., see Blaineau, C., 197
Bathurst, I.C., see Gibson, H.L., 325
Bell Henderson, G., see Field, H., 47
Beverley, S.M., see McMahon-Pratt, D., 151
Bickle, Q., see Francis, P., 215
Blackman, M.J. and Holder, A.A., Secondary processing of the *Plasmodium falciparum* merozoite surface protein-1 (MSP1) by a calcium-dependent membrane-bound serine protease: shedding of MSP1 as a noncovalently associated complex with other fragments of the MSP1, 307
Blaineau, C., Bastien, P. and Pagès, M., Multiple forms of chromosome I, II and V in a restricted population of *Leishmania infantum* contrasting with monomorphism in individual strains suggest haploidy or automixy, 197
Blum, J.J., see Walsh, M.J., 205
Boothroyd, J.C., see Ossorio, P.N., 1
Borst, P., see Swinkels, B.W., 69
Broder, A., see Duszenko, M., 269
Brotman, B., see Lustigman, S., 79
Brun, R., see Lun, Z.-R., 189

Callens, M. and Opperdoes, F.R., Some kinetic properties of pyruvate kinase from *Trypanosoma brucei*, 235
Campetella, O., Henriksson, J., Åslund, L., Frasch, A.C.C., Pettersson, U. and Cazzulo, J.J., The major cysteine proteinase (cruzipain) from *Trypanosoma cruzi* is encoded by multiple polymorphic tandemly organized genes located on different chromosomes, 225
Cazzulo, J.J., see Campetella, O., 225
Cerami, A., see Field, H., 47
Cheng, Q., see Saul, A., 139
Collins, W.E., see Gibson, H.L., 325
Cooper, J., see Saul, A., 139
Coppel, R.L., Repeat structures in a *Plasmodium falciparum* protein (MESA) that binds human erythrocyte protein 4.1, 335
Coppel, R.L., see Marshall, V.M., 181

Dietzel, J., Hirzmann, J., Preis, D., Symmons, P. and Kunz, W., Ferritins of *Schistosoma mansoni*: sequence comparison and expression in female and male worms, 245
Dopheide, T.A.A., see Frenkel, M.J., 27
Duszenko, M., Muhlstedt, K. and Broder, A., Cysteine is an essential growth factor for *Trypanosoma brucei* bloodstream forms, 269

Favreau, M.A., see Geary, T.G., 295
Favreau, M.A., see Klein, R.D., 285
Field, H., Cerami, A. and Bell Henderson, G., Cloning, sequencing, and demonstration of polymorphism in trypanothione reductase from *Crithidia fasciculata*, 47
Francis, P. and Bickle, Q., Cloning of a 21.7-kDa vaccine-dominant antigen gene of *Schistosoma mansoni* reveals an EF hand-like motif, 215
Frasch, A.C.C., see Campetella, O., 225
Frenkel, M.J., Dopheide, T.A.A., Wagland, B.M. and Ward, C.W., The isolation, characterization and cloning of a globin-like, host-protective antigen from the excretory-secretory products of *Trichostrongylus colubriformis*, 27

Gajendran, N., see Liu, J., 349
Geary, T.G., Nulf, S.C., Favreau, M.A., Tang, L., Prichard, R.K., Hatzenbuhler, N.T., Shea, M.H., Alexander, S.J. and Klein, R.D., Three β-tubulin cDNAs from the parisitic nematode *Haemonchus contortus*, 295
Geary, T.G., see Klein, R.D., 285
Gibson, H.L., Tucker, J.E., Kaslow, D.C., Krettli, A.U., Collins, W.E., Kiefer, M.C., Bathurst, I.C. and Barr, P.J., Structure and expression of the gene for Pv200, a major blood-stage surface antigen of *Plasmodium vivax*, 325
Gibson, W., see Lun, Z.-R., 189
Goozé, L., see Kim, K., 105
Gut, J., see Kim, K., 105
Guénette, S., Prichard, R.K. and Matlashewski, G., Identification of a novel *Brugia pahangi* β-tubulin gene (β2) and a 22-nucleotide spliced leader sequence on β1-tubulin mRNA, 275

Haldar, K. and Uyetake, L., The movement of fluorescent endocytic tracers in *Plasmodium falciparum* infected erythrocytes, 161
Hamers, R., see Liu, J., 349
Hatzenbuhler, N.T., see Geary, T.G., 295
Hatzenbuhler, N.T., see Klein, R.D., 285
Hauquitz, D., see Saul, A., 139
Henriksson, J., see Campetella, O., 225
Hines, J.C., see Pasion, S.G., 57
Hirzmann, J., see Dietzel, J., 245
Hiuma, T., see Lustigman, S., 79
Holder, A.A., see Blackman, M.J., 307
Holder, A.A., see McCallum-Deighton, N., 317
Huizenga, H., see Stanley, S.L., Jr., 127

Irving, D., see Saul, A., 139

Johnson, E.H., see Lustigman, S., 79

Kaslow, D.C., see Gibson, H.L., 325
Kemp, D.J., see Marshall, V.M., 181
Kiefer, M.C., see Gibson, H.L., 325
Kim, K., Goozé, L., Petersen, C., Gut, J. and Nelson, R.G., Isolation, sequence and molecular karyotype analysis of the actin gene of *Cryptosporidium parvum*, 105
Klein, R.D., Winterrowd, C.A., Hatzenbuhler, N.T., Shea, M.H., Favreau, M.A., Nulf, S.C. and Geary, T.G., Cloning of a cDNA encoding phosphoenolpyruvate carboxykinase from *Haemonchus contortus*, 285
Klein, R.D., see Geary, T.G., 295
Konings, R.N.H., see Moelans, I.I.M.D., 349
Krettli, A.U., see Gibson, H.L., 325
Kunz, W., see Dietzel, J., 245
Kunz-Jenkins, C., see Li, E., 355

Lal, A.A., see McCutchan, T.F., 37

Lal, A.A., see Moelans, I.I.M.D., 349
Lal, A.A., see Ya-Ping, S., 179
Lang-Unnasch, N., Purification and properties of *Plasmodium falciparum* malate dehydrogenase, 17
Li, E., Kunz-Jenkins, C. and Stanley, S.L., Jr., Isolation and characterization of genomic clones encoding a serine-rich *Entamoeba histolytica* protein (*Short Communication*), 355
Li, E., see Stanley, S.L., Jr., 127
Li, E., see Stanley, S.L., Jr., 181
Limpaiboon, T., see Saul, A., 139
Liu, J., Salinas, G., Gajendran, N., Muthui, D., Muyldermans, S. and Hamers, R., DNA recombination associated with short direct repeats in *Leishmania mexicana* M379 (*Short Communication*), 351
Lohman, K.L., see McMahon-Pratt, D., 151
Loiseau, A., see Swinkels, B.W., 69
Lun, Z.-R., Brun, R. and Gibson, W., Kinetoplast DNA and molecular karyotypes of *Trypanosoma evansi* and *Trypanosoma equiperdum* from China, 189
Lustigman, S., Brotman, B., Johnson, E.H., Smith, A.B., Hiuma, T. and Prince, A.M., Identification and characterisation of an *Onchocerca volvulus* cDNA clone encoding a microfilarial surface-associated antigen, 79

Marshall, V.M., Coppel, R.L., Anders, R.F. and Kemp, D.J., Two novel alleles within subfamilies of the merozoite surface antigen 2 (MSA-2) of *Plasmodium falciparum* (*Short Communication*), 181
Matlashewski, G., see Guénette, S., 275
McCallum-Deighton, N. and Holder, A.A., The role of calcium in the invasion of human erythrocytes by *Plasmodium falciparum*, 317
McCutchan, T.F., Lal, A.A., do Rosario, V. and Waters, A.P., Two types of sequence polymorphism in the circumsporozoite gene of *Plasmodium falciparum*, 37
McMahon-Pratt, D., Traub-Cseko, Y., Lohman, K.L., Rogers, D.D. and Beverley, S.M., Loss of the GP46/M-2 surface membrane glycoprotein gene family in the *Leishmania braziliensis* complex, 151
Moelans, I.I.M.D., Lal, A.A., Konings, R.N.H. and Schoenmakers, J.G.G., Sequence of a 16-kilodalton sexual stage and sporozoite surface antigen of *Plasmodium reichenowi* and comparison with Pfs 16 of *Plasmodium falciparum* (*Short Communication*), 349
Mühlstädt, K., see Duszenko, M., 269
Muthui, D., see Liu, J., 351
Muyldermans, S., see Liu, J., 351

Nelson, R.G., see Kim, K., 105
Nulf, S.C., see Geary, T.G., 295
Nulf, S.C., see Klein, R.D., 285

Opperdoes, F.R., see Callens, M., 235
Opperdoes, F.R., see Swinkels, B.W., 69
Ossorio, P.N., Schwartzman, J.D. and Boothroyd, J.C., A *Toxoplasma gondii* rhoptry protein associated with host cell penetration has unusual charge asymmetry, 1

Pagès, M., see Blaineau, C., 197
Pasion, S.G., Hines, J.C., Aebersold, R. and Ray, D.S., Molecular cloning and expression of the gene encoding the kinetoplast-associated type II DNA topoisomerase of *Crithidia fasciculata*, 57
Pavoa, M.M., see Ya-Ping, S., 179
Peattie, D.A., see Alonso, R.A., 95
Petersen, C., see Kim, K., 105
Pettersson, U., see Campetella, O., 225
Preis, D., see Dietzel, J., 245
Prichard, R.K., see Geary, T.G., 295
Prichard, R.K., see Guénette, S., 275
Prince, A.M., see Lustigman, S., 79

Rajan, T.V., see Werner, C., 255
Rajan, T.V., see Werner, C., 261
Ray, D.S., see Pasion, S.G., 57
Rogers, D.D., see McMahon-Pratt, D., 149
do Rosario, V., see McCutchan, T.F., 37
Rovai, L., Tripp, C., Stuart, K. and Simpson, L., Recurrent polymorphisms in small chromosomes of *Leishmania tarentolae* after nutrient stress of subcloning, 115

Salinas, G., see Liu, J., 351
Saul, A., Cooper, J., Hauquitz, D., Irving, D., Cheng, Q., Stowers, A. and Limpaiboon, T., The 42-kilodalton rhoptry-associated protein of *Plasmodium falciparum*, 137
Schoenmakers, J.G.G., see Moelans, I.I.M.D., 349
Schwartzman, J.D., see Ossorio, P.N., 1
Shea, M.H., see Geary, T.G., 295
Shea, M.H., see Klein, R.D., 285
Simpson, L., see Rovai, L., 115
Smith, A.B., see Lustigman, S., 79
Stanley, S.L., Jr. and Li, E., Isolation of an *Entamoeba histolytica* cDNA clone encoding a protein with a putative zinc finger domain (*Short Communication*), 185
Stanley, S.L., Jr., Huizenga, H. and Li, E., Isolation and partial characterization of a surface glycoconjugate of *Entamoeba histolytica*, 127
Stanley, S.L., Jr., see Li, E., 355
Stowers, A., see Saul, A., 139
Stuart, K., see Rovai, L., 115
Swinkels, B.W., Loiseau, A., Opperdoes, F.R. and Borst, P., A phosphoglycerate kinase-related gene conserved between *Trypanosoma brucei* and *Crithidia fasciculata*, 69
Symmons, P., see Dietzel, J., 245

Tang, L., see Geary, T.G., 295
Traub-Cseko, Y., see McMahon-Pratt, D., 151
Tripp, C., see Rovai, L., 115
Tucker, J.E., see Gibson, H.L., 325

Uyetake, L., see Haldar, K., 161

Wagland, B.M., see Frenkel, M.J., 27
Walsh, M.J. and Blum, J.J., Effects of hypoxia and acute osmotic stress on intermediary metabolism in *Leishmania* promastigotes, 205
Ward, C.W., see Frenkel, M.J., 27
Waters, A.P., see McCutchan, T.F., 37
Werner, C. and Rajan, T.V., Characterization of a myosin heavy chain gene from *Brugia malayi*, 261
Werner, C. and Rajan, T.V., Comparison of the body wall myosin heavy chain sequences from *Onchocerca volvulus* and *Brugia malayi*, 255
Winterrowd, C.A., see Klein, R.D., 285

Ya-Ping, S., Alpers, M.P., Pavoa, M.M. and Lal, A.A., Single amino acid variation in the ookinete vaccine antigen from field isolates of *Plasmodium falciparum* (*Short Communication*), 181

Subject Index

Actin, 105
Adhesion, 127
Allosteric interaction, 231
Alpha-helix, 331
Amoebiasis, 127
Anomalous migration, 1
Anoxia, 201
Anthelmintic, 301
Antigen, 27
Apicomplexa, 105
Asexual intraerythrocytic stage parasite, 17
Axenic cultivation, 265

Benzimidazole resistance, 301
Bivalent metal ions, 231
Blood-stage antigen, 321
Brugia malayi, 251, 257
Brugia pahangi, 271

Calcium binding, 211
Calcium, 313
CD1, 347
Chi site, 347
Chromosomal localization, 221
Chromosome distribution, 193
Circumsporozoite protein, 37
Cloning, 281, 301
Complementation, 281
Crithidia fasciculata, 47, 69
Cruzipain, 221
Cryptosporidium parvum, 105
Cysteine, 269
Cysteine proteinase, 225
Cytotoxic T cell, 37

Direct repeats, 351
DNA recombination, 351
DNA sequence, 255, 261

EF-hand motif, 215
Entamoeba histolytica, 127, 175
Erythrocyte, 317
Erythrocyte membrane skeleton, 335
Erythrocyte ghost, 317
Excretory-secretory product, 27
Expression, 285

Ferritin gene expression, 245
Ferritin gene sequence, 245
Filariasis, 261

Gene family, 47
Gene organisation, 95
Genome, 47
Giardia lamblia, 95
Giardin, 95
α-Giardin, 95
Gliding motility, 105
Glycoconjugate, 127
Glycosome, 69

pH, 235
Haemonchus contortus, 285, 295
Heterotropic and homotropic activator, 235
Host protein, 27
Hypoxia, 205
Immunoelectron microscopy, 79
Independent origins of mutation, 37
Invasion, 317
Invasion, 1,
Irradiated vaccine sera, 215

Killing of microfilariae, 79
Kinetoplast, 57
Kinetoplast DNA, 189

Leishmania, 197, 205, 349
Leishmania tarentolae, 115
Lipid, 127

Malaria, 307, 317
Malaria vaccine, 325
Malaria vaccine candidate, 139
Malaria immunity, 37
Malate dehydrogenase, 17
MESA, 335
Metabolism, 205
Microfilaria, 79
Mitochondrial DNA, 189
Mitochondrion, 57
Molecular karyotype, 105, 151
MSP1, 307
Myosin, 255, 261

Nutrient stress, 115

Onchocerca volvulus, 79, 255
Osmotic stress, 205

Penetration enhancement factor, 1
PFG karyotype, 189
Phosphoenolpyruvate carboxykinase, 285
Phosphoglycerate kinase, 69
Plasmodium falciparum Pfs16, 349
Plasmodium falciparum, 17, 139, 307, 317, 335
Plasmodium vivax, 325
Plasmodium reichenowi, 349
Polymerase chain reaction, 47
Polymorphism, 115
Protective antigen, 151
Protozoon, 151
Pulsed field gel electrophoresis, 105

Pv200, 325
Pyruvate kinase, 235

Recombinant antigen, 79
Reducing thiol compound, 269
Repeats, 335
Restricted focus, 197
Rhoptry protein, 1, 139
mRNA, 275

Schistosoma, 245
Schistosoma mansoni, 215
Sequence, 47
Serine protease, 307
Sex specificity, 245
Sexual stage and sporozoite surface antigen Prs16, 351
Sexuality, 197
Sporocyst cDNA, 215
Subcloning, 115
Surface-associated antigen, 79

Tandemly repeated genes, 225
Topoisomerase, 57
Toxoplasma gondii, 1
trans-spliced leader, 275
Trichostrongylus colubriformis, 27
Trypanosoma cruzi, 225
Trypanosoma evansi, 189
Trypanosoma equiperdum, 189
Trypanosoma brucei, 69, 235, 269
Trypanosoma, 57
Trypanosome, 151
Trypanothione reductase, 47
β-Tubulin, 275
β-Tubulin, 295

Variability, 335

Zinc finger, 179